

		Montag						Dienstag						Mittwoch						Donnerstag						Freitag					
		1	2	3	4	5	6	1	2	3	4	5	6	1	2	3	4	5	6	1	2	3	4	5	6	1	2	3	4	5	6
		08:15	10:00	11:45	14:30	16:15	18:00	08:15	10:00	11:45	14:30	16:15	18:00	08:15	10:00	11:45	14:30	16:15	18:00	08:15	10:00	11:45	14:30	16:15	18:00	08:15	10:00	11:45	14:30	16:15	18:00
Studienang	ANC							MA 2		AC 1			ANC L	ANC L	ANC L	ANC L			MA 2	MA 2	AC 1	AC 1	BWL	BWL	EPH 2	EPH 2					
Angewandte Chemie	ANC2							Buc		Woc			Hz	Hz	Hz	Hz			Buc	Buc	Woc	Woc	Opr	Opr	Dam	Dam					
	ANC2							25-0.01		1-1.04			13-1.02	13-1.02	13-1.02	13-1.02			AM 2	AM 2	1-1.04	1-1.04	25-0.01	25-0.01	2-0.10	2-0.10					
	BSc.																														
ANC4	Angewandte Chemie		BC	OC 2	INA 2			OC 2	TVT	TVT	MVT	MVT	PC 2	STR L	STR L			PC 2 L	PC 2 L	PC 2 L	PC 2 L	PC 2 L		LBT L	LBT L	LBT L					
	ANC4		LaR	Elb	Elb			Elb	Bau	Bau	Has	Has	Sw	Has	Has			Sw	Sw	Sw	Sw	Sw		Elb	Elb	Elb					
	19		1-1.05	1-1.05	1-1.05			1-1.05	AM S3	AM S3	AM S3	AM S3	1-1.05	5-0.20	5-0.20			13-1.25	13-1.25	13-1.25	13-1.25	13-1.25		13-1.24	13-1.24	13-1.24					
	BSc.																														
ANC6	Angewandte Chemie		BT L	BT L	BT L	MIC		AAC L	AAC L	SPP L		BT S	TMB L	TMB L	UC			NC L	SPP L	SPP L	SPP L	NC		HYMB	PCB						
	ANC6		Shm	Shm	Shm	Elb		Shm	Woc	Hwg		Shm	Wk	Wk	Smo			Elb	Hwg	Hwg	Hwg	Hwg		Wk	Wk						
	32		13-0.04	13-0.04	13-0.04	17-0.02		13-0.06	13-0.06	1-1.06		17-0.01	13-0.04	13-0.04	1-1.04			13-1.24	13-1.02	13-1.02	13-1.02	13-0.01		13-0.01	13-0.01						
	BSc.																														
ANC6	Angewandte Chemie		PHA&TOX					RTK L	RTK L	RTK L			LMC 2	BA		BA		TMB L	TMB L	TMB L	TMB L										
	ANC6		Häu					Sw	Sw	Sw			Shm	Wk		Wk		Wk	Wk	Wk	Wk										
	32		CBBM S1/S2					13-1.06	13-1.25	13-1.25			9-1.02	13-0.01		13-0.01		13-0.04	13-0.04	13-0.04	13-0.04										
	BSc.																														
Studienang	UIM																														
UIM2	Umweltingenieurwesen		OC L	OC L	GE 2	OEC L	OEC L	MA 2	OEC	MLAB 1	OC		GE 2	OC	UC	MLAB 1 Ü	MLAB 1 Ü	MA 2	MA 2					EPH 2	EPH 2						
	UIM2		Rts	Rts	Lez	Rts	Rts	Buc	Rts	Jür	Elb		Lez	Elb	Smo	Jür	Jür	Buc	Buc					Dam	Dam						
	26		21-0.02	21-0.02	25-0.01	21-0.02	21-0.02	25-0.01	1-1.06	AM S1	1-1.06		25-0.01	64-3.28	1-1.04	17-0.02	17-0.02	AM 2	AM 2					2-0.10	2-0.10						
	BSc.																														
UIM4	Umweltingenieurwesen		PHA&TOX	PJUS	PJUS	OEC L	OEC L		TVT	TVT	MVT	MVT							BUM	ET	KPS			KPS	WAW	WAW					
	UIM4		Häu	Scü	Scü	Rts	Rts		Bau	Bau	Has	Has							Scü	Bau	Ros			Ros	Kül	Kül					
	22		CBBM S1/S2	13-0.01	13-0.01	21-0.02	21-0.02		AM S3	AM S3	AM S3	AM S3							17-0.01	9-0.03	AM S3			1-1.06	1-1.06	1-1.06					
	BSc.																														
UIM6	Umweltingenieurwesen		AS 2	AS 2	AS 2	AS 2	AS 2	TA	UBP	UBP	UWP	UWP	TMB L	TMB L				TMB L	TMB L	TMB L	TMB L	BWL	BWL	HYMB	TMB L	TA L					
	UIM6							Trz	Scü	Scü	Hey	Hey	Wk	Wk				Wk	Wk	Wk	Wk	Opr	Opr	Wk	Wk	Trz					
	27							17-0.01	1-1.07	1-1.07	1-1.07	1-1.07	13-0.04	13-0.04				13-0.04	13-0.04	13-0.04	13-0.04	25-0.01	25-0.01	13-0.001	13-0.04	17-0.15					
	BSc.																														
Studienang	BMT/MT																														
BMT2	Biomedizintechnik		PHY	MA 2	GE 2	AF	TE	EPH 2	TE	EFM 1	FL	MIabEinf	GE 2	MA 2	MA 2			BP 1	MA 2												
	BMT2		Os/Pi	Bot	Lez	Rio	SPZ	Seg	SPZ	Pil	Bor	Pil	Lez	Bot	Bot			Urb	Bot												
	39		AM 1	25-0.01	25-0.01	2-0.10		2-0.15		17-0.02	1-1.04	64-3.37		25-0.01	14-0.02/03	14-0.02/03			17-0.01	14-0.02/03											
	BSc.																														
BMT4E	Biomedizintechnik		AE L	AE L	DSV	AE L	AE L	AE	MPRT	MLAB 1	DSV L	DSV L	AE	RT	MT 1	MLAB 1 Ü	MLAB 1 Ü	AE	DSV	MT 1		KPS		KPS	RT	BM 1					
	BMT4E		Lez	Lez	Kal	Pil	Pil	Bey	Spi	Jür	Pal	Pal	Bey	Lez	Pil	Jür	Jür	Bey	Kal	Pil		Ros		Ros	Lez	Wdt					
	36-x		17-2.05	17-2.05	17-0.02	17-2.05	17-2.05	AM S3	1-1.04	AM S1	13-0.01	13-0.01	AM S3	17-0.01	17-0.01	17-0.01	17-0.01	AM S3	17-0.01	AM S1		AM S3		1-1.06	17-0.01	1-1.04					
	BSc.																														
BMT4O	Medizinische Optik		AE L	AE L		AE L	AE L	AE	MPRT	GTO	APS 2		AE	OM 1	OM 1 L			AE	GTO			BWL	BWL			DTMO L					
	BMT4O		Lez	Lez		Pil	Pil	Bey	Spi	Bey	Gri		Bey	Gri	Gri			Bey	Gri			Opr	Opr			Gri					
	36-x		17-2.05	17-2.05		17-2.05	17-2.05	AM S3	1-1.04	17-0.01	17-0.01		AM S3	11-2.12	11-2.10			AM S3	1-1.06	1-1.04		25-0.01	25-0.01			1-1.05					
	BSc.																														
BMT4Q	Qualitäts- und Sicherheitstechnik		AE L	AE L		AE L	AE L	AE	MPRT		GQ 2	GQ 2 L	AE	GQ 2 L	MT 1			AE		MT 1		BWL	BWL			PM L					
	BMT4Q		Lez	Lez		Pil	Pil	Bey	Spi		Wan	Wan	Bey	Wan	Pil			Bey		Pil		Opr	Opr			Stn					
	36-x		17-2.05	17-2.05		17-2.05	17-2.05	AM S3	1-1.04		1-1.05	1-1.05	AM S3	1-1.05	17-0.01			AM S3	1-1.06	AM S1		25-0.01	25-0.01			17-0.01					
	BSc.																														
BMT6E	Biomedizintechnik		PHA&TOX	PHA		RC L	LS L	LS L	BV	ROE L	ROE L	ROE L	ROE L	ROE L	BEMV	MEDP		BV		GM	KR	BWL	BWL	BV L	MT 2 L	MT 2 L	MT 2 L				
	BMT6E		Häu	Häu		Rös	Seg	Seg	Bot	LaR	LaR	LaR	LaR	LaR	Jür	Dam		Bot		Opr	Bar	Opr	Opr	Bot	Pil	Pil	Pil				
	41-x		Uni CBBM S1/S2			11-0.21	11-1.10	11-1.10	AM S1	11-1.14	11-1.14	11-1.14	11-1.14	11-1.14	1-1.04	1-1.04		AM S1		25-0.01	UNI 61-V1	25-0.01	25-0.01	25-0.01	BV L	BV L	BV L				
	BSc.																														
BMT6O	Medizinische Optik			PYO 2	PYO 2 L			BV	ODS	ODS L					OST L			BV		GM	GM			BV L	MT 2 L	MT 2 L	MT 2 L				
	BMT6O			Gri	Gri			Bot	Hen	Hen					Hen			Bot		Opr	Opr			Bot	Pil	Pil	Pil				
	41-x			11-2.12	11-2.12			AM S1	11-2.12	11-2.12					11-2.13			AM S1		25-0.01	25-0.01			25-0.01	BV L	BV L	BV L				
	BSc.																														
BMT6Q	Qualitäts- und Sicherheitstechnik		PHA&TOX	PHA			AS 2	BV	PRM	PRM			PRM L	PRM L	PRM L	PRM L	SVA /L	BV		GM	GM	BWL	BWL	BV L	MT 2 L	MT 2 L	MT 2 L				
	BMT6Q		Häu	Häu				Bot	Urb	Urb			Pil	Pil	Rol	Rol	Wan	Bot		Opr	Opr	Opr	Opr	Bot	Pil	Pil	Pil				
	41-x		Uni CBBM S1/S2					AM S1	64-3.28	64-3.28			17-2.05	17-2.05	17-2.05	13-0.01		AM S1		25-0.01	25-0.01	25-0.01	25-0.01	25-0.01	BV L	BV L	BV L				
	BSc.																														
Studienang	HB																														
HB2	Hörakustik		MA 2	GE 2	AF			EPH 2		MLAB 1	GQ 2	GQ 2 L	GE 2	MA 2	MA 2	MLAB 1 Ü	MLAB 1 Ü		MA 2					EPH 1 L	EPH 1 L	EPH 1 L					
	HB2		Bot	Lez	Rio			Seg		Jür	Wan	Wan	Lez	Bot	Bot	Jür	Jür		Bot					Buc	Buc	Buc					
	17		25-0.01	2																											